

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24482

Stream : West Fork White River

Applicant : McCormicks Creek State Park  
Dwight L Brooks  
RR 5 Box 82  
Spencer, IN 47460

Description : Two existing drinking water supply wells will be abandoned. Each well was constructed with a 12' by 30' earthen mound around the casing. Work in the floodway will consist of excavation and removal of the earthen mounds to restore the site to natural grade. All excavated material will be hauled off site. Details of the project are contained in information and plans received at the Division of Water on September 6, 2007 and October 9, 2007.

Location : On the east side of the rivers within McCormick's Creek State Park.  
Approximately one mile north of SR 46  
near Spencer, Washington Township, Owen County  
SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 15, T 10N, R 3W, Gosport Quadrangle  
Quad Code: 3908636  
UTM Coordinates: Downstream 4349865 North, 522767 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24499

Stream : French Lick Creek

Applicant : Town of French Lick  
Don Renner, Town Council President  
8587 West Main Street  
French Lick, IN 47432-1000

Description : Approximately 350' of Monon Street will be improved and portions realigned and raised to improve sight lines. The road will be constructed with curb and drainage inlets which will outlet into a new outfall structure. Details of the project are contained in information and plans received at the Division of Water on September 19, 2007.

Location : At the intersection of State Road 56 and Monon Street, between the French Lick Creek Bridge and the CSX Railroad crossing along the south bank of French Lick Creek.  
near French Lick, French Lick Township, Orange County  
NW¼, NW¼, NE¼, Section 3, T 1N, R 2W, French Lick Quadrangle  
Quad Code: 3808655  
UTM Coordinates: Downstream 4267416 North, 533429 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24500

Stream : Unnamed Tributary Hog Creek

Applicant : \*Indiana Department of Transportation  
Richard L Phillabaum  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : As part of a channel maintenance project, the stream will be cleared of debris and the stream banks will be stabilized with gabion baskets. Also, gabion mattresses will be placed in a large scour hole to prevent further erosion. Details of the project are contained in information and plans received at the Division of Water on September 19, 2007.

Location : On SR 56 at reference post 127.7 on the south side of the roadway near Blocher, Lexington Township, Scott County  
NE¼, NW¼, NW¼, Section 10, T 3N, R 8E, Blocher Quadrangle  
Quad Code: 3808566  
UTM Coordinates: Downstream 4285239 North, 618061 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24532

Stream : White Lick Creek

Applicant : Rockies Express Pipeline LLC  
Alice Weekley  
500 Dallas Street, Suite 1000  
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath White Lick Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 9, 2007 and in plans and information received at the Division of Water on

Location : Approximately 2640' southeast of the intersection of 400 East Road and 1000 North Road  
near Mooresville, Brown Township, Morgan County  
Section 18, T 13N, R 3E, Mooresville East Quadrangle  
Quad Code: 3908653

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24533

Stream : Plum Creek

Applicant : Rockies Express Pipeline LLC  
Alice Weekley  
500 Dallas Street, Suite 1000  
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Plum Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 9, 2007 and in plans and information received at the Division of Water on October 10, 2007.

Location : Approximately 3000' upstream of the County Road 500 North creek crossing near Bainbridge, Floyd Township, Putnam County  
SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 17, T 15N, R 3W, Greencastle Quadrangle  
Quad Code: 3908667  
UTM Coordinates: Downstream 4398860 North, 520036 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24534

Stream : Maze Creek

Applicant : K and M Realty, LLC  
Mark Walsh  
6509 East 46th Street  
Indianapolis, IN 46226-3666

Description : The project consists of a new stream crossing over Maze Creek for an access drive that will serve two residences within the Walsh Estates Subdivision and will represent the only access pathway over the stream. The proposed stream crossing will consist of a single span concrete slab-top bridge that is 16' long (measured along the stream), 6' high (waterway opening) by 16' wide. The bridge will have vertical abutment walls and will be set over the natural stream channel with no channel widening or bank reconstruction. The approach embankment and abutment walls will be protected from scour with an 18" thick layer of 12" rip rap. The bridge will have a natural stream channel flowline through the bridge opening. The 12' wide gravel-topped roadway over the bridge will have its top-of-road profile on each side of the bridge set 2.5' below the maximum road grade over the bridge opening to create a road overflow area on each side of the bridge structure that will allow approximately 12" of road overflow depth in the 100 year flood. Details of the project are contained in information received electronically at the Division of Water on October 9, 2007 and in plans and information received at the Division of Water on

Location : The proposed residential access drive stream crossing site is located at Maze Creek River Mile 1.37 approximately 1400' south of Maze Road and approximately 900' west of Acton Road  
  
at Indianapolis, Franklin Township, Marion County  
Section 21, T 14N, R 5E, Acton Quadrangle  
Quad Code: 3908568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24535

Stream : Unnamed Tributary Big  
Raccoon Creek

Applicant : Rockies Express Pipeline LLC  
Alice Weekley  
500 Dallas Street, Suite 1000  
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath an Unnamed Tributary to Big Raccoon Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 9, 2007 and in plans and information received at the Division of Water on October 10, 2007.

Location : Approximatley 3700' south of the interesection of West County Road 900 North and North County Road 650 West  
DOWNSTREAM: near Morton, Russell Township, Putnam County  
NW¼, NE¼, SE¼, Section 33, T 16N, R 5W, Russellville Quadrangle  
Quad Code: 3908678  
UTM Coordinates: Downstream 4403742 North, 503324 East  
UPSTREAM: SE¼, NW¼, SE¼  
  
UTM Coordinates: Upstream 4403851 North, 503419 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24536

Stream : Peters Creek

Applicant : Rockies Express Pipeline LLC  
Alice Weekley  
500 Dallas Street, Suite 1000  
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Peters Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 9, 2007 and in plans and information received at the Division of Water on October 10, 2007.

Location : Approximately 5600' west of the US 231 and West County Road 850 North intersection and south 1000' continuing west for 1200'  
DOWNSTREAM: near Bainbridge, Russell Township, Putnam County  
S½, NE¼, SW¼, Section 36, T 16N, R 5W, Russellville Quadrangle  
Quad Code: 3908678  
UTM Coordinates: Downstream 4403668 North, 507380 East  
UPSTREAM:  
UTM Coordinates: Upstream 4403613 North, 507772 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24538

Stream : Clarks Creek

Applicant : City of Plainfield  
Richard A Carlucci  
PO Box 65  
Plainfield, IN 46168-0065

Description : A new bridge will be constructed to carry the Plainfield Pedestrian Trail across the stream. The new structure will be a single-span prefabricated truss bridge with a span length of 122'. The structure will have an out-to-out length of 125' and a clear roadway width of 10'. The spill through abutments will have 2:1 sideslopes armored with revetment riprap over geotextile fabric. The abutments will not be skewed. The approach trails will be elevated a maximum of 7.8' above the existing grade. Details of the project are contained in information received electronically at the Division of Water on October 9, 2007 and in plans and information received at the Division of Water on

Location : Approximately 14' downstream of the existing Stanley Road crossing at Plainfield, Guilford Township, Hendricks County  
Section 1, T 14N, R 1E, Plainfield Quadrangle  
Quad Code: 3908664

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24541

Stream : McCracken Creek

Applicant : Rockies Express Pipeline LLC  
Alice Weekley  
500 Dallas Street, Suite 1000  
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath McCracken Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on October 10, 2007 and in plans and information received at the Division of Water on

Location : Approximately 528' west of the County Road 525 East creek crossing near Allman, Monroe Township, Morgan County  
Section 28, T 14N, R 1E, Plainfield Quadrangle  
Quad Code: 3908664

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10